

AXIS CAMERA PRODUCTS		March 2007
Nimasystems Ltd, www.nimasystems.com info@nimasystems.com		For prices and conditions CALL US!
Sofia - 1000, Bulgaria, 28 "Haidushka Gora" Str		Plovdiv - 4000, Bulgaria, 27 "Mali Bogdan" Str.
Tel./Mobile: +359 897 883 468		
Product Name	Part number Power supply included	Description
CAMERA PRODUCTS		
NETWORK CAMERAS		
Fixed Cameras		
Fixed Iris (Indoor only)		
AXIS 206	0199-002	Small network camera with built-in web server, 10/100 network connection and compact size (55x34x85 mm). Resolution up to 640x480 at 30 fps that works in low light, down to 4 lux. Supports local languages. Includes Axis Camera Explorer software, fixed iris lens, adjustable stand and power supply. Indoor Camera
AXIS 206 Surveillance Kit	0199-022	Bundle containing four AXIS 206 network cameras and a 4-license AXIS Camera Station IP-Surveillance software for video monitoring, recording and event management.
AXIS 207	0235-002	Indoor camera, fixed lens. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design . Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes Axis Camera Explorer software , adjustable stand / clamp for easy mounting, and power supply.
AXIS 207 Surveillance Kit	0235-062	Bundle with 4 units of AXIS 207 and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Note: Multiple orders of this SKU will not result in 8-, 12-, 16-license, etc of ACS. Additional cameras and ACS 1 or 5 upgrade licenses must be ordered separately.
AXIS 207W	0241-002	Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design . Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes Axis Camera Explorer software .
AXIS 207W 10-pack/bulk	0241-032	AXIS 207W in 10-pack .
AXIS 207MW	0264-002	Indoor Megapixel camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) and wired Ethernet. Motion JPEG and MPEG-4 . Up to 1280x1024 resolution. Compact design. Audio AAC with built-in microphone. Includes Axis Camera Explorer software , adjustable stand / clamp for easy mounting, and power supply.
AXIS 207MW 10-pack/bulk	0264-022	AXIS 207MW in 10-pack .
AXIS 210	0197-002	Feature-rich network camera with CCD sensor for superior image quality. Up to VGA 640x480 resolution at full 30 fps frame rate and support for Video Motion Detection, I/O and advanced event handling. Includes fixed iris lens for indoor use, adjustable stand and power supply. Indoor camera
AXIS 210 10-pack	0197-022	Includes 10 pcs of the AXIS 210 Network Camera - Bulk pack
AXIS 210 Surveillance Kit (4-license)	0197-082	Bundle containing four AXIS 210 network cameras and a 4-license AXIS Camera Station IP-Surveillance software for video monitoring, recording and event management.
AXIS 210 Barebone 10-pack	0197-032	AXIS 210 Barebone in 10-pack
AXIS 210A	0233-002	Indoor camera, fixed lens. 1/4" progressive scan CCD . Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711. Includes adjustable stand and power supply.
AXIS 210A 10-pack/bulk	0233-022	AXIS 210A in 10-pack .
AXIS 210A Surveillance Kit	0233-062	Bundle with 4 units of AXIS 210A and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Note: Multiple orders of this SKU will not result in 8-, 12-, 16-license, etc of ACS. Additional cameras and ACS 1 or 5 upgrade licenses must
AXIS 210A Barebone 10-pack	0233-052	AXIS 210A Barebone in 10 pack

Auto iris (indoor & outdoor)

AXIS 211	0198-002	Feature-rich network camera with CCD sensor, has built-in Power over Ethernet, motion detection and delivers superior image quality in simultaneous MPEG-4 and Motion JPEG at up to 30 fps. Includes vari-focal DC-iris lens, adjustable stand and power supply. Indoor and outdoor camera
AXIS 211 10-pack	0198-022	Includes 10 pcs of the AXIS 211 Network Camera - Bulk pack
AXIS 211 OUTDOOR VERSO BUNDLE	8016-001-01	Bundle consisting of an AXSI 211 Network Camera, Videotec Verso Housing (0217-001), a Power Supply (0217-011) and a Wall bracket with internal cable channel (0217-031)
AXIS 211 Barebone 10-pack	0198-052	AXIS 211 Barebone in 10-pack
AXIS 211A	0223-002	Feature-rich network camera with CCD sensor, delivers superior image quality at up to 30 fps in VGA 640x480 resolution. Provides two-way audio, Power over Ethernet (IEEE802.3af) and motion detection. Supports simultaneous MPEG-4 and Motion JPEG streams. Includes varifocal DC-iris lens, adjustable stand and power supply. Indoor and outdoor camera
AXIS 211A 10-pack	0223-022	Includes 10 pcs of the AXIS 211A Network Camera. Indoor and outdoor camera
AXIS 211A Barebone 10-pack	0223-052	AXIS 211A Barebone in 10-pack
AXIS 221 Day & Night Network Camera	0221-002	High-end Day&Night network camera with Progressive Scan CCD, 640x480 resolution @45fps. Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high quality Pentax lens. Power adapter and adjustable stand included. Indoor and Outdoor camera
AXIS 221 Barebone 10-pack	0221-052	AXIS 221 Barebone in 10-pack (excluding lens)
AXIS 221 10-pack	0221-052	AXIS 221 in 10-pack.
AXIS 221 Outdoor Verso Kit	0221-101	Bundle with 1 unit of AXIS 221 Network Camera, Videotec Verso Housing (0217-001), a Power Supply (0217-011) and a Wall bracket with internal cable channel (0217-031)
AXIS 2120 50 Hz	0126-002-02	Professional network camera with low light sensitive CCD sensor, built-in web server and network connection. Up to 25 fps. Support for Video Motion Detection, I/O, event handling, modem and the AXIS 2191 Audio Module. Includes DC-Iris, vari-focal lens for indoor and outdoor light conditions, stand and power supply. Indoor and outdoor camera
AXIS 2120 50Hz 10-Pack	0126-022-02	Includes 10 pcs of the AXIS 2120 50 Hz Network Camera - Bulk pack
AXIS 2120 50 Hz Barebone	0126-101-02	Professional network camera with low light sensitive CCD sensor, built-in web server and network connection. Up to 25fps. Support for Video Motion Detection, I/O, event handling, modem and the AXIS 2191 Audio module. DC-Iris lens support. DOES NOT INCLUDE LENS, MANUAL NOR POWER SUPPLY.
AXIS 2120 50HZ Outdoor 290A Bundle	8006-001-01	Bundle consisting of an AXIS 2120 Network Camera and 290A outdoor housing
AXIS 2420w/ LENS PAL	0127-102-01	Professional network camera with low light sensitive CCD sensor and built-in web server. Network connections as well as analogue PAL video output. Up to 25 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes high quality DC-Iris vari focal lens for indoor and outdoor light conditions, stand and power supply. Indoor and outdoor camera
AXIS 2420 PAL 50 Hz Barebone	0127-002-01	Professional network camera with low light sensitive CCD sensor and built-in web server. Network connection as well as analogue PAL video output. Up to 25 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes power supply. Support for CS-mount, DC-Iris lens. DOES NOT INCLUDE LENS, NOR STAND. Indoor and outdoor camera
AXIS 2420 50HZ Outdoor 290A Bundle	8007-001-01	Bundle consisting of an AXIS 2420 Network Camera and 290A outdoor housing
AXIS 2420 IR Sensitive w/ LENS PAL	0127-302-01	Professional, infrared sensitive black/white network camera with built-in web server. Network connection as well as analogue PAL video output. Up to 25 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes high quality DC-Iris vari focal lens for indoor and outdoor light conditions, stand and power supply. Indoor and outdoor camera
AXIS 2420 BW IR Sensitive PAL Barebone	0127-202-01	Professional, infrared sensitive black/white network camera with built-in web server. Network connection as well as analogue PAL video output. Up to 25 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes power supply. Support for CS-mount, DC-Iris lens. DOES NOT INCLUDE LENS, NOR STAND. Indoor and outdoor camera

AXIS 2420 w/ LENS NTSC	0127-112-01	Professional network camera with low light sensitive CCD sensor and built-in web server. Network connections as well as analogue NTSC video output. Up to 30 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes high quality DC-Iris vari focal lens for indoor and outdoor light conditions, stand and power supply. Indoor and outdoor camera
AXIS 2420 NTSC Barebone	0127-012-01	Professional network camera with low light sensitive CCD sensor and built-in web server. Network connection as well as analogue NTSC video output. Up to 30 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes power supply. Support for CS-mount, DC-Iris lens. DOES NOT INCLUDE LENS, NOR STAND. Indoor and outdoor camera
AXIS 2420 IR Sensitive w/ LENS NTSC	0127-312-01	Professional, infrared sensitive black/white network camera with built-in web server. Network connection as well as analogue NTSC video output. Up to 30 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes high quality DC-Iris vari focal lens for indoor and outdoor light conditions, stand and power supply. Indoor and outdoor camera
AXIS 2420 BW IR Sensitive NTSC Barebone	0127-212-01	Professional, infrared sensitive black/white network camera with built-in web server. Network connection as well as analogue NTSC video output. Up to 30 fps. Support for Video Motion Detection, I/O, event handling, modem, the AXIS 2191 Audio Module and drivers for Pan/Tilt. Includes power supply. Support for CS-mount, DC-Iris lens. DOES NOT INCLUDE LENS, NOR STAND. Indoor and outdoor camera
AXIS 230 MPEG-2 Network Camera	0177-002	High-end MPEG-2 network camera. Delivers 30/25 frames per second of DVD-quality video at controllable constant bit rate. Built-in audio-support. IR-sensitive Day/Night functionality. 18x optical zoom-lens and drivers for Pan/Tilt. Indoor and outdoor Camera
Pan/Tilt/Zoom Cameras		
Auto Iris (Indoor and Outdoor)		
AXIS 212 PTZ	0257-002	Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply.
AXIS 212 PTZ 10 pack/bulk	0257-022	AXIS 212 in 10 pack
AXIS 213 PTZ	0219-002	Pan/tilt/zoom network camera with built-in 26x optical zoom, auto focus lens and IR mode for nighttime conditions. Resolutions up to 768x576 at up to 25 (PAL) or 704x480 at 30 fps (NTSC). Two way, full duplex audio (when using AXIS 213CM Connection Module). For ceiling mount and desktop use. Power supply included. Indoor and outdoor camera
AXIS 214PTZ 50HZ	0245-002	Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply.
AXIS 214PTZ 60HZ	0246-002	Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply.
Dome Fixed Cameras		
Auto Iris (Indoor)		
AXIS 216FD	0240-002	Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Fixed dome with discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.
AXIS 216 FD 10-Pack	0240-022	AXIS 216FD in 10-pack.
Auto Iris (Indoor and Outdoor)		
AXIS 225FD	0243-002	Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-485 for data. Includes cable gland and indoor power supply.
AXIS 225FD Outdoor Kit	0243-021	Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-485 for data. Includes cable gland and outdoor power supply.

Dome Pan/Tilt/Zoom Cameras		
Auto Iris (Indoor and Outdoor)		
AXIS 231 D+ DOME CAMERA 50Hz	0250-001	Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.
AXIS 231 D+ DOME CAMERA 60Hz	0251-001	Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.
AXIS 232 D+ DOME CAMERA 50Hz	0252-001	Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux in color. Auto day/night mode. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.
AXIS 232 D+ DOME CAMERA 60Hz	0253-001	Auto iris auto focus zoom lens. 1/4" progressive scan CCD. Down to 0.3 lux in color. Auto day/night mode. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.
VIDEO ACCESSORY PRODUCTS		
Axis 2191 Audio Module	0143-002-01	Audio add-on module for Network Cameras and Video Servers. Supported by 2100, 2110, 2120, 2420, 2400 and 2401. Requires MS Windows and Internet Explorer.
VIDEO SERVERS		
1-port Video Server		
AXIS 2411	0182-002	Video Servers supporting a single analog PAL or NTSC video source. Built-in web server enables live viewing with up to 30 fps through normal browser. Ethernet 10/100. No support for modems, audio module, PTZ's or alarms.
AXIS 2411 10-Pack	0182-012	Includes 10 pcs. Of AXIS 2411 in a bulk pack. Power supplies included. No manuals included
AXIS 2401+ Blade	0191-001	Blade version of 2401+ Video Server. Requires the AXIS Video Server Rack for installation.
AXIS 2401+ Blade 10-pack	0191-011	Includes 10 pcs of AXIS 2401+ Blade in a bulk pack. No manuals are included.
AXIS 241S	0186-002	One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events.
AXIS 241S 10-Pack	0186-022	Includes 10 pcs of AXIS 241Q in a bulk pack. Power supplies included. No manuals are included
AXIS 241S Blade	0210-001	Blade version of 241S Video Server. Requires the AXIS Video Server Rack for installation.
AXIS 241S Blade 10-pack	0210-021	Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.
AXIS 241SA	0229-002	One channel, high quality video at up to 25/30 fps in resolutions up to 768x576. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio , motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption.
AXIS 241SA 10 pack	0229-022	Includes 10 pcs of AXIS 241SA in a bulk pack. Power supplies included. No manuals are included.
AXIS 242S IV	0242-002	1 channel NTSC/PAL video encoder with embedded DSP for Intelligent Video and Audio applications. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232/RS-485 for data and PTZ control.
AXIS 242S IV / IVM120 People Counter Kit	0242-022	Axis 242 S IV with embedded people counting application AXIS IVM120 for indoor use.
AXIS 242S IV 10-pack	0242-052	AXIS 241S IV in 10-pack.
Axis 282	0237-001	Bare board 1 channel video server for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control.
AXIS 282 20-pack/bulk	0237-011	AXIS 282 in 20-pack.
AXIS 282A	0238-001	Bare board 1 channel video server with duplex audio for built-in purposes. Small footprint unit for flexible integration. Motion JPEG and MPEG-4. Up to 30/25 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ
AXIS 282A 20-pack/bulk	0238-011	AXIS 282A in 20-pack.
AXIS 250S MPEG-2 Video Server	0159-002-01	MPEG-2 video server for one composite or S-VHS video source, PAL or NTSC. Delivers 30/25 frames per second of DVD-quality video at controllable constant bit rate. Built-in audio-support. Powerful event handling and support for both uni and multicast.
AXIS 250S PAL BLADE	0215-001	Blade version of the AXIS 250S.
AXIS 250S PAL BLADE BULK 10PCS	0215-021	Includes 10 pcs of AXIS 250S Blade in bulk pack.
4-port Video Server		

AXIS 240Q	0232-002	Motion JPEG video simultaneously on four channels. Security package with IP filtering, HTTPS encryption and multiple user access levels protection. Built-in Video Motion Detection.
AXIS 240Q 10 pack	0232-052	Includes 10 pcs of AXIS 240Q in a bulk pack. Power supplies included. No manuals are included.
AXIS 240Q Blade	0232-021	Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation.
AXIS 240Q Blade 10 pack	0232-081	Includes 10 pcs of AXIS 240Q Blade in a bulk pack. No manuals are included.
AXIS 241Q	0185-002	server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events.
AXIS 241Q 10-Pack	0185-022	Includes 10 pcs of AXIS 241Q in a bulk pack. Power supplies included. No manuals are included.
AXIS 241Q Blade	0209-001	Blade version of 241Q Video Server. Requires the AXIS Video Server Rack for installation.
AXIS 241Q Blade 10-pack	0209-021	Includes 10 pcs of AXIS 241Q Blade in a bulk pack. No manuals are included.
AXIS 241QA	0230-002	High quality video at up to 25/30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 768x576. Two-way audio , motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption.
AXIS 241QA 10 pack	0230-022	Includes 10 pcs of AXIS 241QA in a bulk pack. Power supplies included. No manuals are included.
1-port Video Decoder		
Axis 292 Network Video Decoder	0213-002	Video decoder providing 1ch analog video and audio from a single AXIS MPEG-2 or Motion JPEG based product. Decode video at full frame rate. Supports both PAL and NTSC devices.
Blade Video Server Rack		
AXIS Video Server Rack	0192-002	Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels.
RECORDING SOLUTIONS		
Application Software		
AXIS Camera Station		
AXIS Camera Station Base Pack 4 channels English	0202-052	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 4 camera channels support including 1 year upgrade right. Box with CD and QIG
AXIS Camera Station Base Pack 4 channels German	0202-210	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 4 camera channels support including 1 year upgrade right. Box with CD and QIG in German
AXIS Camera Station Base Pack 4 channels French	0202-220	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 4 camera channels support including 1 year upgrade right. Box with CD and QIG in French
AXIS Camera Station Base Pack 4 channels Spanish	0202-230	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 4 camera channels support including 1 year upgrade right. Box with CD and QIG in Spanish
AXIS Camera Station Base Pack 4 channels Italian	0202-240	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 4 camera channels support including 1 year upgrade right. Box with CD and QIG in Italian
AXIS Camera Station Base Pack 10 channels English	0202-002	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 10 camera channels support including 1 year upgrade right. Box with CD and QIG
AXIS Camera Station Base Pack 10 channels German	0202-110	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 10 camera channels support including 1 year upgrade right. Box with CD and QIG in German
AXIS Camera Station Base Pack 10 channels French	0202-120	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 10 camera channels support including 1 year upgrade right. Box with CD and QIG in French
AXIS Camera Station Base Pack 10 channels Spanish	0202-130	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 10 camera channels support including 1 year upgrade right. Box with CD and QIG in Spanish

AXIS Camera Station Base Pack 10 channels Italian	0202-140	Versatile IP surveillance software for recording and viewing live video remotely. Record continuously, on alarm or when motion is detected with instant playback of recorded images. BASE PACK with 10 camera channels support including 1 year upgrade right. Box with CD and QIG in Italian
AXIS Camera Station 1 channel Upgrade English and Multilingual	0202-032	1 camera channel upgrade. Only License Code in envelope. AXIS Camera Station 4 or 10 (Base pack) must be installed to install this 1 camera upgrade.
AXIS Camera Station 5 channels Upgrade English and Multilingual	0202-012	5 camera channels upgrade. Only License Code in envelope. AXIS Camera Station 4 or 10 (Base pack) must be installed to install this 5 camera upgrade.
AXIS Camera Station 1 Year Upgrade English and Multilingual	0202-022	1 year upgrade right. Only License Code in envelope. Note : this will add one year from where the current/previous upgrade right ends/ended.
AXIS Image Enhancer 1 channel	0202-062	Improves image quality in poor visibility conditions in AXIS Camera Station . For 1 camera/channel. Only License Code in envelope. AXIS Camera Station 10 or 4 (Base pack) must be installed to use AXIS Image Enhancer
AXIS Image Enhancer 5 channels	0202-072	Improves image quality in poor visibility conditions in AXIS Camera Station . For 5 cameras/channels. Only License Code in envelope. AXIS Camera Station 10 or 4 (Base pack) must be installed to use AXIS Image Enhancer
AXIS Camera Explorer		
AXIS Camera Explorer		
AXIS Camera Explorer		
AXIS Camera Management		Powerful and efficient installation and management tool for Axis network video products. The tool can automatically find and set IP addresses, show connection status and manage firmware upgrades of multiple devices.
AXIS MPEG Decoder Licence		
Axis MPEG-2 Decoder 10 user license pack	0160-011-01	10 user licence of AXIS MPEG-2 decoder. Allow the MPEG-2 decoder embedded into AXIS MPEG-2 based products to be installed on 10 separate computers.
Axis MPEG-4 Decoder 10 user license pack	0160-021	10 user licence of AXIS MPEG-4 decoder. Allow the MPEG-4 decoder embedded into AXIS MPEG-4 based products to be installed on 10 separate computers.
AXIS Installation Monitor		
AXIS Installation Monitor		The AXIS Installation Monitor gives installers a tool that simplifies the physical installation and service of Axis wired and wireless network cameras. Using a handheld Pocket PC computer, the installer can view the live images, and adjust focus, angle and direction without using a laptop or a colleague at a computer elsewhere.
ACCESSORIES		
Housings for PTZ/dome cameras and accessories		
Axis 295 Video Surveillance Joystick	0248-001	Professional joystick for accurate control over network of all Axis pan/tilt/zoom and dome network cameras. Connects to PC workstation over USB. Features a three-axis Hall Effect joystick with X/Y-axis for positioning and turning knob for
AXIS 231D/232D 110V Mains adaptor	21795	Indoor 110V power supply for AXIS 231D/232D available as spare part
AXIS 231D/232D 230V Mains adaptor	21796	Indoor 110V power supply for AXIS 231D/232D available as spare part
AXIS 231D/232D Mains cable US/JP	21790	Spare part for AXIS 231D/232D: mains cable for indoor use
AXIS 231D/232D Mains cable EUR/KOREA	21791	Spare part for AXIS 231D/232D: mains cable for indoor use
AXIS 231D/232D Mains cable UK	21792	Spare part for AXIS 231D/232D: mains cable for indoor use
AXIS 231D/232D Mains cable AUS	21793	Spare part for AXIS 231D/232D: mains cable for indoor use
Smoke colored dome, indoor for 231D/232D	21774	Smoked dome, indoor for AXIS 231/232D.
Clear dome, indoor for AXIS 231/232D	21777	Clear dome, indoor for AXIS 231/232D (included with AXIS 231D/232D), available as spare part.
Dome AXIS 23XD+ Clear Cover	5500-191	ACC dome AXIS 23XD+ Clear Cover
Dome AXIS 23XD+ Smoked Cover	5500-201	ACC dome AXIS 23XD+ Smoked Cover
Junction box for AXIS 231D/232D	21781	Indoor junction box (included with AXIS 231D/232D), available as spare part
Junction cable for AXIS 231D/232D 1m	21786	Cable between AXIS 231D/232D and junction box, optional accessory. 1m.
Junction cable for AXIS 231D/232D 2m	21787	Cable between AXIS 231D/232D and junction box, optional accessory. 2m.
Junction cable for AXIS 231D/232D 5m	21788	Cable between AXIS 231D/232D and junction box, optional accessory. 5m.
Junction cable for AXIS 231D/232D 10m	21789	Cable between AXIS 231D/232D and junction box, optional accessory. 10m.
AXIS 23XD Outdoor Housing	22206	Outdoor Housing to be used with the AXIS 231D or 232D Network Dome, including power supply 5000-001
AXIS 23xD outdoor housing no PS	23723	Outdoor housing to be used with the AXIS 231D or 232D Network Dome Camera, excluding power supply 5000-001.
AXIS PS24 ACC mains adaptor	5000-001	24VAC power adapter for outdoor use together with 0216-001 or 0216-011
ACC Wall Mount AXIS PS24	5000-011	Metal box to mount AXIS PS24 to a wall.
Pole Mount, Wide for AXIS 23xD	21764	Out door pole mount, for use with AXIS PS24 Wall mount (5000-011)

Pole Mount, for AXIS 23xD	21765	For Gooseneck mount on a thin pole without space for PSU, available as spare part.
Pole Mount, Wide for AXIS 23xD with space for PSU Box	21766	For Gooseneck mount on a wide pole with space for PSU, available as spare part
Pole Mount, for AXIS 23xD with space for PSU box	21767	For Gooseneck mount on a thin pole with space for PSU, , available as spare part
Corner Mount for AXIS 23xD	21768	For Gooseneck mount on a corner without space for PSU, available as spare part
Corner Mount, Thin for Axis 23xD with space for PSU box	21769	Corner mount kit with integrated space for PSU box.
Corner Mount, Wide for AXIS 23xD with space for PSU Box	21770	For Gooseneck mount on a corner with space for PSU, available as spare part
Gooseneck for AXIS 23xD, flat	21771	Includes mounting for flat wall. See more alternatives above, available as spare part
Tube 50 cm for hard ceiling mount of AXIS 23xD	21772	50cm tube for attachment to ceiling and AXIS 23xD, available as spare part
Tube 25 cm for hard ceiling mount of AXIS 23xD	21773	25cm tube for attachment to ceiling and AXIS 23xD, available as spare part
Smoke Coloured plastic bubble for AXIS 23xD	21775	Smoke coloured dome, outdoor for AXIS 23xD, available as spare part
Mounting Tool for pole mounts	21776	Tool for steel strap (included in pole mount kit) tensioning. For use with 21764
Clear Plastic Bubble 23xD	21778	Clear Bubble for AXIS 23xD outdoor housing, available as spare part
MOUNT KIT 23XD HARD CEILING	21780	Included in AXIS 231/232D, available as spare part
MOUNT KIT FOR AXIS 23xD T-bar	21779	Included in AXIS 231/232D
Cable 1m for AXIS 23xD outdoor housing	21782	Outdoor cable - for connecting power supply and outdoor housing
Cable 2m for AXIS 23xD outdoor housing	21783	Outdoor cable - for connecting power supply and outdoor housing
Cable 5m for AXIS 23xD outdoor housing	21784	Outdoor cable - for connecting power supply and outdoor housing
Cable 10m for AXIS 23xD outdoor housing	21785	Outdoor cable - for connecting power supply and outdoor housing
AXIS 213CM Connection Module	22581	Connection module for the AXIS 213 PTZ Network Camera. Provides two way, full duplex audio functionality, analog video out (for ceiling mounted camera), 2 alarm inputs and 3 outputs for the AXIS 213 PTZ. Cable included.
AXIS 213 WALL BRACKET	5500-071	AXIS 213 WALL BRACKET allows mounting the AXIS 213 PTZ Network Camera on a wall, or other vertical surface.
Powersupply for AXIS 213/2130/2130R	20713	Replacement power supply for AXIS 213/2130/2130R (includes both UK & EUR main plugs)
Powersupply for AXIS 214 PTZ	5500-211	Mains adapter, AXIS 214, spare-part
Videotec Dome Housing Trans DBH24K0F028	0216-001	Dome housing for Axis 213 PTZ Network Camera with clear bubble. Color: White Note: The Videotec Dome Hosue Adapt 213 ODBH24H144 is required for use with the Axis 213
Videotec Dome Housing Smoked DBH24K0F022	0216-011	Dome housing for Axis 213 PTZ Network Camera with smoked bubble. Color: White Note: The Videotec Dome Hosue Adapt 213 ODBH24H144 is required for use with the Axis 213
Videotec Dome House Adapt 213 ODBH24H144	0216-021	Adapter for Axis 213 For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Other: With 230VAC heater /w fan
Videotec Dome House Adapt 214 ODBH24H151	0216-111	Adapter for AXIS 214 For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Other: With 230VAC heater /w fan
Videotec Dome House Ceiling Mount DBH03	0216-031	Ceiling mount For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Color: Black
Videotec Dome House Wall Mount DBH04	0216-041	Wall mount For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Color: Black
Videotec Dome House Parapet Mount DBH05	0216-051	Parapet mount For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Color: Black
Videotec Dome House Pole Adapter DPTCH	0216-061	Pole adapter For use with: Videotec DBH04 (Axis 0216-041) Color: Black
Videotec Dome House Corner Mount DCWGH	0216-071	Corner mount For use with: Videotec DBH04 (Axis 0216-041) Color: Black
Videotec Trans Bubble OPLEX24T	0216-081	Spare part - Transparent bubble For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011)
Videotec Smoked Bubble OPLEX24F	0216-091	Spare part - Smoked bubble For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011)
VT DOME ADAPTER for AXIS 231D/232D ODBH24H249	0216-101	Adapter plate to mount Axis 231/232 in Videotec's domehousing

Housings for fixed cameras and accessories		
Drop ceiling mount for AXIS 225	5003-001	Drop ceiling mount for AXIS 225
Dome glass smoked for AXIS 225	5003-011	Smoked glass bubble for AXIS 225FD.
Dome glass clear for AXIS 225	5003-021	Clear glass bubble for AXIS 225FD.
Screw kit for AXIS 225FD	5003-031	Spare set of tamper-proof screws for AXIS 225FD, with key and mounting screws
Clear dome glass for AXIS 216FD	5005-011	Clear dome glass for AXIS 216FD
Smoked dome glass for AXIS 216FD	5005-001	Smoked dome glass for AXIS 216FD
Screw kit for AXIS 216FD	5005-021	Spare set of tamper-proof screws for AXIS 216FD, with Torx screw driver. Mounting screws also included.
290A Outdoor Housing	0180-001	Tailor-made aluminum outdoor housing for AXIS 211, 211A and 221 Network Cameras. Heater and sunshield included.
Mains adapter 290A	5500-021	Mains adapter AXIS 290A, spare part
Camera mounting board AXIS 290A	5500-031	Mounting board AXIS 290A, spare part
Videotec Verso Housing HPV42K1A000	0217-001	Polycarbonate outdoor housing for the Axis 210 (indoor only), 211, 211A and 221 Network Camera. Heater and sunshield included, bracket and power supply not included.
Videotec Power Supply OHEPS19	0217-011	Wide range power supply. For use with Videotec HPV42K1A000 (Axis 0217-001), for internal mounting to power the camera.
Videotec Wall bracket Balljoint WBJA	0217-021	Wall bracket with ball joint. For use with Videotec HPV42K1A000 (AXIS 0217-001).
Videotec Wall bracket Internal Cable WBOVA1	0217-031	Wall bracket with internal cable channel. For use with Videotec HPV42K1A000 (AXIS 0217-001).
Videotec Ceiling Bracket Ball Joint WCM3A	0217-041	Simple square tubing ceiling bracket with ball joint. For use with Videotec HPV42K1A000 (AXIS 0217-001).
Videotec Ceiling Bracket Internal Cable WCM4A	0217-051	Stylish round tubing ceiling bracket with internal cable channel. For use with Videotec HPV42K1A000 (AXIS 0217-001).
Videotec Ceiling Bracket Ball Joint WCM5A	0217-061	Stylish round tubing ceiling bracket with ball joint. For use with Videotec HPV42K1A000 (AXIS 0217-001).
Videotec Column Mount Ball Joint WFWCA	0217-071	Column mount with ball joint. For use with Videotec HPV42K1A000 (AXIS 0217-001).
Videotec Pole Mount Adapter WSFPA	0217-081	Pole mount adapter. For use with Videotec WBJA, WBOVA1 (Axis 0217-021, 0217-031).
Videotec Wall Bracket Adapter Plate WCPA	0217-091	Wall bracket adapter plate. For use with Videotec WBJA, WBOVA1 (Axis 0217-021, 0217-031).
Videotec Corner Mount WCWA	0217-101	Corner mount. For use with Videotec WBJA, WBOVA1 (Axis 0217-021, 0217-031).
Videotec Wall Bracket Junction Box WBOV3A1	0217-111	Wall bracket, support plate and integrated junction box with internal cable channel. For use with Videotec HPV42K1A000 (Axis 0217-001).
Videotec Waterproof Junction Box OHEGB	0217-121	Waterproof junction box. For use with Videotec HPV42K1A000 (Axis 0217-001).
Videotec Blower Kit With Air Filter OHPVCF1	0217-131	Blower kit with thermostat and air filter. For use with Videotec HPV42K1A000 (Axis 0217-001).
Verso Cool Outdoor Housing VT VERSO HOUSING FAN HPV42K0A017	0217-141	Polycarbonate outdoor housing for the AXIS 210 (indoor only), 211, 211A and 221 Network Cameras, to be used in temperature up to -50C. Fan and sunshield included. Bracket, heater and power supply not included
VT POWER SUPPLY OHEGBPS1	0217-151	Power supply for 0217-141
VT HEATER 110/230VAC OHPVH1	0217-161	Heater for use with AXIS 0217-141. When used, 0217-141 can handle temp down to -20C
Clamp mount for AXIS 206 and AXIS 207	5004-001	Clamp to mount AXIS 206 and AXIS 207
AXIS 206/207 Vandal-resistant Housiung	5006-001	Vandal-resistant indoor housing for Axis 206/207 (not wireless)
Lenses, analog cameras and camera stands		
Lens CS 4 mm	18611	CS mount 4 mm, for 2100
Lens 4 mm CS mount	5500-151	Lens 4 mm CS Mount
Lens 4 mm F=1.2 CS Mount	5500-161	Lens 4 mm F=1.2 CS Mount
Lens CS 3.5 - 8 mm, DC-iris	18613	CS mount Varifocal 3.5-8 mm DC-iris, for 2120, 2420
Lens CS 3.5 - 8 mm, manual iris	21743	CS mount Varifocal 3.5-8 mm Man-iris, for 2110
Lens CS 2.8 - 12 mm, DC-iris	19055	CS mount Varifocal 2.8-12 mm DC-iris, for 2420, 2120
Lens CS 3 - 8 mm DC iris	5500-051	CS mount Varifocal 3-8 mm DC-iris for 211
Lens CS 3 - 8 mm, DC-iris D/N filter	5500-061	CS mount Varifocal 3-8 mm DC-iris with D/N filter for 221
Lock Ring	18592	Lock Ring, for Axis 2120, 2420
Mount Ring	18594	CS mount ring, for Axis 200+, 2120, 2420
Camera stand for AXIS 20X, plastic	22473	Plastic stand for AXIS 205, 206, 206M, 206W, 207, 207W Network Cameras
Camera stand for AXIS 20X, plastic (BLACK)	5500-131	Black plastic stand for AXIS 205, 206, 206M, 206W, 207, 207W Network Cameras
Camera stand, plastic	23452	Plastic stand for AXIS 210 and 211 (A) Network Cameras
Camera stand, plastic	18615	Plastic stand for 2100
Camera stand, metal	18617	Metal stand for cameras 221, 230, 200, 200+, 2100, 2120, 2420
Camera stand, plastic	22473	Plastic stand for the AXIS 205 & AXIS 206 Network Cameras
Camera stand, plastic	23452	Plastic stand for the AXIS 210 & AXIS 211 Network Cameras
AXIS 2490 Serial Server	0108-002	AXIS 2490 Serial Server
Power supplies, cables, connectors and rack		
Power Supply PS-H	21233	Power supply PS-H for AXIS 205, 206, 206M, 207, and 207W
Power Supply PS-L	23407	Power supply PS-L for AXIS 205, 206, 206M, and 207
Power Supply PS-K	21065	Power supply PS-K for AXIS 210/211, 210A/211A, 221, 241Q/S, 241QA/SA, 240Q, 2411, 230, and 250S
Power supply PS-K Multi-country for AXIS 225FD	5500221	Power supply PS-K for AXIS 225FD. No plug. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK
Power supply PS-K Multi-country	5500-231	Power supply PS-K for AXIS 211/A, 241Q/S/SA/OA, 234SA. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK
Power Supply PS-D	18602	Power supply PS-D for AXIS 2100, 2110, 2120, 2420, 2400/2401, 2400+/2401+, and 2490
Power Supply PS-RACK	22512	Power supply for the Axis Video Server Rack

Extension cable PS-H 1.8M	5500-141	1.8M extension Cable for PS-H products
ACC EXTENSION CABLE PS-K 3M	5500-081	Extension cable, 3M, for PS-K products
8 to 1 Power Splitter for Axis 2400/01+	20724	The 8 to 1 Power Splitter for 2400/01+. Feeds up to eight Axis 2400+/2401+. One 6.5 feet input cord and eight 2.9 feet output cords. Snap-mount for 35mm DIN rails. NOTE; No power supply included.
Terminal Connector 4 pin	18598	4 pin terminal connector 3.81 mm for 210, 211, 207W, 216FD, 250S
Terminal Connector 8 pin	18600	8 pin terminal connector 3.81 mm for 2400/2401, 2400+/2401+, 2490
Cable, extension PS-D	18607	Extension cable for Power Supply, 3.3 meters, for PS-D
Cable, null modem	18609	Serial NULL Modem cable for 2100, 2110, 2120, 2420
Cable - Visca to Server	18619	Cable to connect PTZ control of Sony EVI VISCA to Video server, 3 meters
Cable - Visca to Visca	18621	Extension cable for PTZ control of Sony EVI VISCA, 3 meters
Cable adapter - Y/C to BNC	21832	Cabel adapter to connect a Y/C (S-Video) cable to the Axis 241S Video Server
BNC to RCA adaptor	19404	4 pack of BNC to RCA adaptors
Rack mount 2400/2401	19273	19" Rack mount holder for up to 8 2401/2400 Video Servers.
Power over LAN/Power over Ethernet/Wireless devices		
Power Over LAN Active Splitter	0170-001-01	Use with Power Over LAN Midspans to enable Power Over LAN for AXIS 213 and AXIS 230. Output 12 VDC.
AXIS PoE Active Splitter 5V AF	5008-001	Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE-enabled switches to enable Power over Ethernet for AXIS 205, 206, 206M and 207. NOTE: Not 206W and 207W.
Power Over LAN Midspan 1-Port	0169-022-01	Secure injection of power into a single standard Cat 5 network cable. Maximum cable length 267ft/100m. Supports single Axis Network Camera/Video Server.
Power Over LAN Midspan 6-port	0169-012-01	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 267ft/100m. Supporting up to six Axis Network cameras/video servers. Metal casing
Power Over LAN Midspan 12-Port	0169-002-01	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 267ft/100m. Supporting up to twelve Axis Network cameras/video servers. Metal casing
AXIS POE Midspan 1-port	0226-002	Axis branded. Secure injection of power into a single standard Cat 5 network cable. Maximum cable length 267ft/100m/ Supports single Axis Network Camera/Video Server. Plastic casing
PoE Active Splitter	0227-001	Power over Ethernet (802.3af) compatible. Use with Power Over LAN Midspans or PoE - enabled switches to enable Power over LAN for Axis 210, 2100, 2110, 2120, 2420, 2400+, 2401+, 2411, 241Q, 241S 250S Output 18 VDC.
SMC 2870W Wireless Bridge	0231-002	Enables wireless connection for all AXIS network cameras and video servers. 2.4GHz 54Mbps, IEEE 802.11b -and 802.11g- compliant, can be configured to both Access Point and Bridge (Device Point) mode.
IR Illuminators		
IR Illuminator 850NM 30 DEG	20805	Semi-Covert IR Illuminator for use with the AXIS 2420 Network Camera - IR Sensitive, AXIS 221 Day Night Network Camera, AXIS 225FD, AXIS 213 PTZ, AXIS 214 PTZ, AXIS 232D, AXIS 230 MPEG 2
IR Illuminator 850NM 60 DEG	20810	Semi-Covert IR Illuminator for use with the AXIS 2420 Network Camera - IR Sensitive, AXIS 221 Day Night Network Camera, AXIS 225FD, AXIS 213 PTZ, AXIS 214 PTZ, AXIS 232D, AXIS 230 MPEG 2
IR Illuminator 940NM 20 DEG	20815	Covert IR Illuminator for use with the AXIS 2420 Network Camera - IR Sensitive, AXIS 221 Day Night Network Camera, AXIS 225FD, AXIS 213 PTZ, AXIS 214 PTZ, AXIS 232D, AXIS 230 MPEG 2
IR Illuminator 940NM 50 DEG	20820	Covert IR Illuminator for use with the AXIS 2420 Network Camera - IR Sensitive, AXIS 221 Day Night Network Camera, AXIS 225FD, AXIS 213 PTZ, AXIS 214 PTZ, AXIS 232D, AXIS 230 MPEG 2